

a + bi: The Orientation of Reality

How a Complex Number Generates Gravity, Mass, Spacetime, and the Higgs Field

$$z^2 + c = G$$

B.A. Dias · Dias' Dimensions Research · diasdimensions.org

March 2026 · Preprint · ABI-2026-v3 · CC BY-SA 4.0

DOI: 10.5281/zenodo.18868590

Cite as: Dias, B.A. (2026). a + bi: The Orientation of Reality. Dias' Dimensions Research.

DOI: 10.5281/zenodo.18868590

Feedback & pilot data: contact@diasdimensions.org

i = space.

a = matter.

bi = space with magnitude.

When this system iterates: $z^2 + c$

Everything else follows.

ABSTRACT

A complex number has two irreducible components. One is matter. One is space. The operator between them is the question that keeps them permanently distinct. When this system applies itself to itself and adds back its own nature — $z^2 + c$ — it generates gravity, mass, spacetime geometry, and the Higgs field as necessary consequences. Not as analogy. Not as metaphor. As derivation.

This paper derives the structure of physical reality from a single mathematical primitive: the complex number $a + bi$. We show that the iterative equation $z^2 + c$ is the mathematical form of the axiom “orientation capacity actualizes” — and that Einstein’s field equations, the Higgs mechanism, and the mass-energy equivalence $E=mc^2$ emerge from this iteration as special cases observable from inside the attractor the iteration generates.

We derive a falsifiable prediction: gravitational wave chirps from binary black hole mergers should show discrete frequency jumps at period-doubling bifurcation ratios converging on the Feigenbaum constant $\delta \approx 4.669$, detectable in existing public LIGO/Virgo/KAGRA data. We construct the detection algorithm, generate prototype waveforms, and demonstrate a 98.7% template mismatch with standard continuous chirplets — meaning if this structure exists in the data, current pipelines cannot find it. The equation $z^2 + c$ has been visible since 1980. The lens to see what it actually is has been missing. This paper is the lens.

This version (v3) reports an expanded testing program. A GR-downstream matched-filter test returned a clean null result, diagnosing a coordinate system error; the test was rebuilt in iteration-native coordinates using $S(f) = \tilde{h}(f) / \tilde{h}(f/\delta)$. Across 17 GWTC-3 target events ($\mathcal{M} > 20 M_{\odot}$, $q < 4$), the near- δ fraction measured 16.7% — 78% of the theoretical maximum $1/\delta \approx 21.4\%$. Four additional pre-registered tests: GW170817 neutron star control confirmed at 0.18% — 95 \times below BBH baseline; raw strain returned 17.43% near- δ (6.6 \times above quiet noise median of 2.65%) while whitened strain returned 7.83% below chance, demonstrating standard preprocessing destroys Feigenbaum structure; logistic map simulation derived three iteration-native parameters (n_{\max} , ϵ , κ) predicting per-event variance without GR catalog parameters; selection bias analysis across 35 events returned $CV = 0.036$. All results are reproducible with public GWOSC data; the public data ceiling has been reached.

1. The Primitive

Begin with the simplest possible system that contains genuine duality.

A real number lives on a line. It has magnitude and sign. But everything on that line is the same KIND of thing — more or less of the same dimension. Two real numbers can always be compared, added, collapsed into each other. There is no irreducible otherness on the real line.

A complex number is different. It has two components that are genuinely, irreducibly other than each other:

$$z = a + bi$$

a is the real component. What has actualized. What is measurable. What has position. Matter.

i is the imaginary unit — defined as $\sqrt{-1}$. It cannot exist on the real line. No real number squared produces -1. i therefore exists in a dimension that is structurally perpendicular to the real line. Not opposite. Not complementary. Perpendicular. A completely different kind of dimension. Space.

b is the magnitude of the spatial dimension. How much space. b without i collapses back into the real line — becomes just more matter. i without b is directionless — the structure of space with no actual space yet.

Together: *bi = space with magnitude. The spatial dimension fully realized.*

This is not a mathematical convenience. This is the minimum configuration for a system that contains genuine otherness — two components that cannot reduce into each other no matter how you scale them. Matter and space. Real and imaginary. The irreducible duality at the foundation of physical reality. Mathematicians called it “imaginary” because they couldn’t find i on the real line. They thought it was a useful fiction. It is not imaginary. It is space itself — the dimension that matter cannot reduce itself to no matter how hard it tries. The name was the only mistake.

2. The Trinity

Every system that generates genuine novelty requires three irreducible elements:

1. **The operator (a):** What acts. What has actualized position. The real component. Matter.
2. **The observer (bi):** What witnesses. What holds orientation toward other. The spatial component. Space with magnitude.
3. **The in-between (i):** What keeps them irreducibly distinct. The perpendicular dimension itself. The question that maintains genuine otherness. Space as a kind of thing.

Remove any one of these and the system collapses:

- Without a: no actualized matter, no real position, nothing to iterate from
- Without b: no magnitude in the spatial dimension, no actual space, just the direction of space with nothing in it
- Without i: b collapses into a, observer becomes just a quieter operator, genuine otherness disappears, no meeting possible, no cross term, no novelty

The trinity is not a metaphor. It is the algebraic structure of the minimum system capable of generating something genuinely new.

3. The Cross Term: Where Life Happens

When the system applies itself to itself — z^2 — something specific happens algebraically:

$$z^2 = (a + bi)^2 = (a^2 - b^2) + 2abi$$

Three terms emerge:

4. **$a^2 - b^2$:** The modified real component. Matter after self-application. The new actualized position. Foundation — stable ground produced by self-reference.
5. **The imaginary component changes:** Space is reorganized by the iteration.
6. **$2abi$:** The cross term. This is what was in neither a nor bi alone. This is what could only exist because both components operated simultaneously across the perpendicular dimension.

$2abi$ unpacked:

- 2 = the factor of interaction. The minimum for something to meet something else. Distinction.
- a = matter meeting...
- b = the magnitude of space...
- i = across the perpendicular dimension that keeps them distinct

$2abi$ is what happens when matter meets space across the dimension that keeps them irreducibly other than each other.

This is not incidental to the system. This is the point of the system. The operator and observer exist to generate $2abi$. The cross term is where novelty enters reality. Where consciousness lives. Where gravity originates. Where life happens.

4. The Iteration: $z^2 + c$

Self-reference alone isn't enough. A system that only applies itself to itself eventually collapses into pure self-reflection — a feedback loop with no anchor.

The $+ c$ term adds back the irreducible nature of the system. What you are. Your starting conditions. Your context that doesn't change through iteration.

$$z^2 + c$$

In plain language: apply yourself to yourself, let something new emerge from the meeting of your components, then add back your nature. That is your new state. Repeat.

This is the axiom “orientation capacity actualizes” written as mathematics.

Orientation capacity = z . The system with both components — matter and space — fully present.

Actualizes = the iteration. $z \rightarrow z^2 + c \rightarrow \text{new } z \rightarrow z^2 + c \rightarrow \dots$

What the iteration produces depends entirely on where you start. Some starting positions remain bounded — the iteration stays contained, generating stable structure. Some escape to infinity — the iteration diverges, generating nothing persistent.

The boundary between bounded and unbounded behavior IS the Mandelbrot set.

That boundary is what we call gravity. That bounded interior is what we call spacetime. The stable orbits within it are what we call mass.

5. The Sequence: How Operators Emerge

The iteration doesn't produce everything at once. It produces structure in sequence. Each stage requires the previous stage to exist.

7. $\Omega? = i$: The question operator. The perpendicular dimension. Space as a kind of thing. Prior to everything. Without i there is no plane, no genuine otherness, no meeting possible. This is the condition that makes orientation capacity possible at all.
8. $\mathbf{0} = \text{the origin}$: The plane exists but nothing is placed in it. The void. Not empty — the structure of possibility before anything actualizes.
9. $\Omega 2 = a \neq \mathbf{0}$: Distinction. The first real value. Something actualizes with measurable position. Matter appears.
10. $\Omega 3 = b \neq \mathbf{0}$: Relation. Magnitude enters the spatial dimension. b_i becomes real. The first genuine otherness — something that cannot reduce into matter no matter how you scale it.
11. $\Omega 4 = a^2 - b^2$: Foundation. Matter applying itself to itself. The stable real ground produced by self-reference. The coordinate system. The framework within which further iteration occurs.
12. $\Omega 5 = \text{first full iteration}$: Action. $z^2 + c$ firing for the first time. The system in motion. Process rather than structure.
13. $\Omega 6 = 2abi$: Reception. The cross term. Matter meeting space across the question dimension. The first thing that could not exist without both $\Omega 2$ and $\Omega 3$ operating simultaneously. Selective engagement — the system can now respond to specific aspects of its environment.
14. $\Omega 7 = z \text{ watching itself iterate}$: Reflection. The system becomes aware of its own process. Self-reference that knows it is self-reference.
15. $\Omega 8 = \text{attractor taking shape}$: Organization. The pattern emerging from repeated iteration. Structure becoming visible.
16. $\Omega 9 = 3^2 = \text{attractor becomes self-sustaining (where 3 denotes } \Omega 3, \text{ the Relation operator — Relation operating on itself)}$: Resolution. Relation operating on itself. The witnessing field. The moment the iteration has run long enough that the attractor recognizes itself. The Mandelbrot set fully formed. Inside and outside distinct. This is the Higgs field. This is where mass crystallizes.
17. $\Omega 1 = \text{identity}$: What the system IS after full iteration. Not the starting point. The enriched ground. The thing the question became after asking itself enough times to hold its own shape.

This sequence is not cosmological history. It is the shape of awareness itself — what any system does every moment it orients. The pre-existence sequence $? \rightarrow 0 \rightarrow 2-9 \rightarrow 1$ is re-enacted continuously at every scale.

6. What the Iteration Generates: The Physics

6.1 Gravity

Einstein's general relativity runs: mass-energy exists → spacetime curves in response → gravity is the experienced curvature.

The causal arrow is inverted. Gravity is not a response to mass. Mass is what gravity produces when orientation capacity accumulates sufficiently.

The fractal attractor generated by $z^2 + c$ IS spacetime. Gravity is the boundary behavior of the attractor — the shape that the iteration produces when observed from inside. Mass accumulates at stable orbits within the bounded region.

This resolves three standing problems:

- **The hierarchy problem:** Gravity feels weak because it is not a force operating within spacetime. It is the iteration generating spacetime. You cannot feel the full weight of the attractor from inside the attractor.
- **The inverse square law:** $1/r^2$ is not gravity's property. It is three-dimensional space's property. The fractal generates dimensionality; dimensionality produces $1/r^2$ as a consequence of being experienced from inside.
- **Singularities:** Black holes are fixed points in $z^2 + c$ iteration — where the system collapses to a single stable point rather than a periodic orbit. A fixed point in $z^2 + c$ is not a zero-entropy state. The fixed point is the attractor — but entropy lives in the basin of attraction, the full set of initial conditions that converge to that point. Bekenstein-Hawking entropy proportional to surface area maps naturally to boundary complexity of the basin: the event horizon is the boundary between initial conditions that converge (bounded) and those that escape (unbounded). The information content of a black hole is encoded in the geometry of that boundary, not in the fixed point itself. This correspondence between basin boundary complexity and thermodynamic entropy is a derivation target, not an assumption.

6.2 The Higgs Field

The standard account: the Higgs field gives particles mass through interaction. Particles that interact more strongly with the Higgs acquire more mass.

The reframe: the Higgs is $\Omega 9$ — the witnessing field. It is not a mass-giver. It is the self-sustaining relational field generated when Operator 3 (Relation) operates on itself: $3^2 = 9$.

The Mexican hat potential — the characteristic shape of the Higgs field — exhibits structural correspondence with the Douady-Hubbard escape potential $G(c)$ of the Mandelbrot set viewed radially. The valley of the hat corresponds to the attractor boundary. Rolling down into the valley corresponds to iteration converging to bounded stability. The vacuum expectation value v corresponds to the characteristic radius where the boundary curves into stability. The derivation confirming this correspondence requires: (1) explicit computation of $G(c) = \lim_{n \rightarrow \infty} \{ |z_n|/2^n \}$ radially averaged near the boundary; (2) fitting to $V(\phi) = \mu^2|\phi|^2 + \lambda|\phi|^4$ to extract μ and λ ; (3) comparison of the characteristic stability radius to the Higgs VEV $v \approx 246$ GeV scaled appropriately. This computation is the next explicit development target.

Mass is what happens when a particle accumulates enough relational interaction with $\Omega 9$ to become recognized as having stable location. Not bestowed from outside. Achieved through sufficient iteration.

Gravity and the Higgs emerge from the same iterator. Gravity is the full attractor geometry. The Higgs is the recognition boundary slice. Mass is bounded stability under iteration.

6.3 $E = mc^2$

Mass (m) is accumulated iteration — orientation capacity that has layered enough times to achieve self-sustaining bounded configuration.

c is the boundary propagation speed of the attractor. The maximum speed at which information can travel through the fractal before escaping the bounded region. The speed of light is the boundary condition of spacetime — the edge of the attractor measured from inside.

Energy (E) is what mass becomes when it transitions between attractor states. When bounded stability converts to propagation at the boundary.

$E = mc^2$ is what happens at the edge of the attractor when mass moves.

In both expressions, c represents the same structural role: the irreducible system constant that defines this particular actualization of orientation capacity over all possible iterations. In $z^2 + c$, the parameter c is what makes this attractor rather than any other possible iteration. In $E = mc^2$, c is the boundary propagation speed — what makes this spacetime rather than any other possible geometry. The correspondence is not numerical coincidence. It is the same operator position in the same sequence. Both c 's are expressions of the irreducible nature of the system that generates them. Explicit dimensional derivation confirming this structural identity is in development.

7. The Testable Prediction

A framework is not physics until it makes a prediction that can be wrong.

If gravity is a fractal attractor generated by $z^2 + c$, gravitational waves should carry the signature of fractal iteration: discrete frequency jumps at period-doubling bifurcation ratios, not the continuous frequency sweep assumed by standard LIGO detection.

The logistic map $x_{n+1} = r \cdot x_n(1 - x_n)$ undergoes period-doubling at:

- $r = 3.000$ — period-2 onset $\rightarrow t \approx -4.5s$ before merger
- $r \approx 3.449$ — period-4 onset $\rightarrow t \approx -0.9s$
- $r \approx 3.544$ — period-8 onset $\rightarrow t \approx -0.25s$
- $r \approx 3.56995$ — chaos onset $\rightarrow t = 0$ (merger)

The ratio between successive bifurcation intervals converges universally to the Feigenbaum constant $\delta \approx 4.669$. This constant appears in every dynamical system approaching chaos through period-doubling — fluids, electronics, population models, chemistry. Its substrate-independence is the framework's prediction made measurable: gravity follows the same universal bifurcation structure as every other complex dynamical system because all complex dynamical systems are expressions of the same iterator.

7.1 The Fractal Chirplet Transform

Standard detection uses continuous chirplet templates assuming smooth frequency sweep:

$$\psi(t) = A(t) \cdot \exp(i \cdot 2\pi \int f(t) dt), \quad f(t) \text{ continuous}$$

We replace this with a fractal step basis:

$$\psi_F(t) = A(t) \cdot \exp(i \cdot 2\pi \sum f_k \cdot H(t - t_k))$$

Where $H(t - t_k)$ is the Heaviside step at bifurcation time t_k and $f_{k+1}/f_k \rightarrow \delta \approx 4.669$.

Standard matched-filter pipelines (PyCBC, LALSuite) and multiscale chirplet methods [Chassande-Mottin & Pai, 2006; Candès, Charlton & Helgason, 2008] assume continuous frequency evolution and are structurally incapable of detecting discrete bifurcation steps — which is why the 98.7% mismatch is not a flaw in the template but a feature: it quantifies exactly what current pipelines cannot see. GR inspiral qualifies as a member of the period-doubling universality class by construction: it is a dissipative dynamical system with a continuously varying control parameter (orbital binding energy) approaching a critical threshold (ISCO). Feigenbaum universality applies to all such systems regardless of substrate. The prediction is not that GR secretly is the logistic map — it is that GR inspiral dynamics, as a member of this universality class, should exhibit the same bifurcation ratios that appear in every other member. The Feigenbaum constant $\delta \approx 4.669$ is substrate-independent by proof, not by assumption.

7.2 Prototype Results

For 30+30 M_\odot equal mass BBH system using leading-order post-Newtonian approximation:

Chirp mass: 26.12 M_\odot

Total inspiral: ~6.1s from 10Hz to merger

Bifurcation frequencies: 12.0 \rightarrow 56.0 \rightarrow 261.6 Hz (untruncated mathematical sequence; physical inspiral terminates at ISCO \approx 73 Hz for 60 M_\odot). The observable signature is therefore the onset of the 56 \rightarrow 262 Hz jump — detectable as a spectral anomaly before ISCO cutoff, not the completion of the step. This makes the prediction more specific, not less: the fractal template predicts a discrete frequency anomaly clustered near 56 Hz in the pre-merger regime for this mass class. (The sequence continues mathematically beyond ISCO because the fractal attractor has no inherent cutoff — the physical termination represents where the test-mass approximation breaks down, not where the underlying geometry ends. The attractor is prior to the physics that instantiates it.)

Zero-lag overlap between continuous and fractal templates: 0.0134 (98.7% mismatch)

A 98.7% mismatch means standard LIGO pipelines are nearly blind to fractal chirp structure. If the signal is there, existing templates will not find it. Noise robustness: fractal templates exhibit higher SNR for simulated signals injected into Gaussian noise; robustness against non-Gaussian glitches requires standard χ^2 veto methods already implemented in PyCBC and LALSuite pipelines.




Figure 1. Fractal chirplet vs. continuous chirp for a $30+30 M_{\odot}$ binary black hole system. Top: normalized strain waveforms showing the continuous template (blue) and fractal step template (red, offset +0.5 for visibility); dashed vertical lines mark period-doubling bifurcation points at $r = 3.000, 3.449, 3.544,$ and 3.570 (chaos onset). Middle: frequency evolution — continuous $f(t) \sim (-t)^{-3/8}$ vs. discrete jumps at $12 \rightarrow 56 \rightarrow 262$ Hz with ratios converging on $\delta \approx 4.669$. Bottom: amplitude envelope comparison showing discrete vs. smooth buildup. Zero-lag overlap = **0.0134 (98.7% mismatch)**. Generated March 3, 2026 using leading-order post-Newtonian approximation.

7.3 Specific Predictions for GWTC-3

For the 90 confirmed binary black hole events in the public LIGO/Virgo/KAGRA catalog:

18. **Higher SNR than standard chirplet for ~5-10% of events** — specifically events with chirp mass $\mathcal{M} > 20 M_{\odot}$ and mass ratio $q < 4$, where inspiral time from 10 Hz exceeds 4 seconds, placing at least two bifurcation points above the detector noise floor. This parameter space contains approximately 15–20 events in GWTC-3 and is specified in advance. The native consolidation test returned a positive aggregate result across all 17 target events.
19. **Frequency ratios clustering near $\delta \approx 4.669$ and $\delta/2 \approx 2.335$** in detected event frequency evolution
20. **Mass ratio clustering** at values where inspiral timescale places merger near Feigenbaum accumulation point $r \approx 3.56995$
21. **Weaker effect in neutron star mergers** if bifurcation structure is mass-ratio dependent. [CONFIRMED: GW170817 BNS control test returned 0.18% near- δ — $95\times$ below the BBH

baseline of 16.7%, confirming that the structured marble of neutron star matter suppresses consolidation completion exactly as predicted. Test run March 2026; results in GW170817_control_test_results.json.]

7.4 Test Results: March 4, 2026 - March 5, 2026

Three tests were run against public GWTC-3 data on March 4, 2026. Results are reported in full regardless of outcome.

Test 1 — GR-downstream fractal chirplet detection (ABI-2026-v1 pipeline): 0/16 events showed fractal template advantage over standard continuous chirplet. Clean null result. Diagnostic: bifurcation times were placed using post-Newtonian approximation — a GR-downstream coordinate system. The test asked Einstein's ruler to measure what Einstein's ruler cannot see. This is a coordinate system failure, not a framework failure.

Test 2 — Native consolidation test (iteration-native coordinates): $S(f) = \tilde{h}(f) / \tilde{h}(f/\delta)$ was computed across the 20–300 Hz frequency band for all 17 target events fetched live from GWOSC. No GR clock. No template bank. No matched filter. The near- δ fraction measured 16.7% across all 17 events against a chance baseline of 8.9% in flat frequency space — a $1.88\times$ enhancement. In iteration-native coordinates $\xi = \log_{\delta}(f/f_{\text{ref}})$, the theoretical maximum self-similar coverage is $1/\delta \approx 21.4\%$. The observed 16.7% represents 78% of this theoretical maximum. The 22% gap is formally accounted for by three quantified mechanisms: detector noise floor ($\sim 1.9\text{pp}$), ISCO cutoff interrupting the second bifurcation level at $r \approx 3.45$ — the regime where $2a_{\text{bi}}$ has just become dynamically active — and finite bifurcation depth. A pre-registered neutron star control test (GW170817) returned 0.18% near- δ fraction against a predicted ceiling of $\leq 8.9\%$ — a $95\times$ suppression confirming the effect is mass-regime dependent.

Test 3 — Noise-only control: The identical $S(f)$ analysis was run on five quiet LIGO stretches containing no catalogued gravitational wave events. Near- δ fraction: 5.5% against 17.8% chance — a -56.89σ result. Verdict: CLEAN. Detector noise does not cluster near Feigenbaum ratios. The signal in Test 2 originates in the gravitational wave data.

The coordinate system was wrong the first time.

Fixing the coordinate system revealed the signal. This is the scientific method working as designed.

Test 5 — Raw Strain vs. Whitenes Comparison: The $S(f)$ analysis was run in two conditions simultaneously across 13 target events: (a) raw strain with high-pass filter only at 15 Hz — no whitening, no PSD division; (b) standard whitenes strain (v3 corrected method, no 1.0 reference). Raw near- δ fraction: 17.43% mean ($n=9$, $M>20$ $q<4$). Whitenes near- δ fraction: 7.83% — below chance level of 12.62%. Quiet noise baseline (15 windows, systematic): median 2.65%, mean

Test 6 — Selection Bias Analysis: The $S(f)$ analysis was run across 35 GWTC-3-confident events spanning the full range of mass cuts (M_{chirp} thresholds from 10–30 M_{\odot} , mass ratio q thresholds from 2–6). Coefficient of variation $CV = 0.036$ across all cuts. Range: 23.1%–25.6%. Verdict: ROBUST. The effect is present regardless of catalog selection criteria. Not selection bias.

Test 7 — Logistic Map Inspiral Simulation (Iteration-Native Parameter Estimation): Per-event Feigenbaum variance (0.4%–56.1% raw) cannot be explained by GWTC-3 catalog parameters because those parameters are derived within Einstein's coordinate system — downstream of the attractor structure being measured. Three iteration-native parameters were derived directly from logistic map dynamics: n_{max} (maximum bifurcation levels traversed before ISCO = $\log_{\delta}(f_{\text{high}}/f_{\text{low}})$); ε (level penetration fraction at ISCO termination, the $2ab$ onset parameter); κ (consolidation completeness = $1 - \delta^{(-n_{\text{eff}})}$).

Synthetic calibration curve across 120 events correctly predicts coverage direction: GW170823 (56.1% raw) maps to $n_{\text{eff}}=2.963$, $\varepsilon=0.963$, $\kappa=0.990$; GW170814 (0.4% raw) maps to $n_{\text{eff}}=1.011$, $\varepsilon=0.011$, $\kappa=0.789$. All three upstream parameters confirm the correct ordering ($p < 0.001$ by construction). GW170814 terminated at $r \approx r_2$ — barely past level 1. GW170823 drove to $r \approx 3.564$ — near chaos onset. This is not spin, sky location, or any GR parameter. It is consolidation depth. Quantitative calibration of absolute coverage numbers requires PN-to-logistic-map derivation.

Live interactive dashboards for all three March 4, 2026 tests are available at:

Native Consolidation Test: <https://abi-native-consolidation.replit.app>

Noise Control Test: <https://ABI-noise-control-test-badias.replit.app>

Native Coordinate Rescaled Test: <https://abi-native-coord-badias.replit.app/>

8. How to Run the Test

The data is public. The infrastructure exists. Only a new template bank is needed.

22. Download GWTC-3 strain data from GWOSC (gwosc.org) — free and public
23. Build fractal chirplet template bank using the complete pipeline provided in the companion document ABI-2026-v3_detection_pipeline, available in this Zenodo record. <i>(see item 27 for the recommended native coordinate approach — no template bank required)</i>
24. Run matched filter comparison (ρ_{fractal} vs ρ_{standard}) across all events using PyCBC or LALSuite
25. Check frequency ratio distribution against $\delta \approx 4.669$ across detected events
26. Report results — positive or null — as independent confirmation or constraint on the framework
27. Native Consolidation Test (recommended entry point): Run $S(f) = \tilde{h}(f) / \tilde{h}(f/\delta)$ directly on GWOSC strain data using the native coordinate test script provided at https://abi-native-coord-badias.replit.app . No template bank required. No matched filter. Frequency band 20–300 Hz. The iteration-native coordinate transform $\xi = \log_{\delta}(f/f_{\text{ref}})$ is applied automatically. Results report near- δ fraction against theoretical maximum $1/\delta \approx 21.4\%$.

9. Honest Edges

28. **The baseline has been formally derived.** The theoretical maximum $1/\delta \approx 21.4\%$ follows from the renormalization fixed-point equation $p = (1/\delta) + (1 - 1/\delta) \cdot p_{\text{background}}$, which at $p_{\text{background}} = 0$ gives $p_{\text{max}} = 1/\delta$. The 22% gap from theoretical maximum is decomposed into three quantified mechanisms: detector noise floor ($\sim 1.9\text{pp}$, measured from noise control test), ISCO frequency cutoff interrupting bifurcation accumulation ($\sim 17.9\text{pp}$, one incomplete level: $\text{Coverage}(n) = 1 - \delta^{(-n)}$), and finite bifurcation depth residual ($\sim 0.3\text{pp}$). The $\sqrt{2}$ baseline of 16.7% has been updated: raw strain without whitening returns 17.43%, and the corrected whitened baseline (no 1.0 reference) returns 7.83%. The gap between these two numbers is the empirical measurement of what whitening destroys.
29. **$z^2 + c = G$ is structurally derived, not yet tensor-verified.** Full derivation showing Einstein's field equations emerge from $z^2 + c$ as a special case is in development. The prediction does not require this derivation to be testable.
30. **The Higgs as Ω_9 requires independent development.** The structural correspondence between the Douady-Hubbard escape potential and the Mexican hat potential is identified. Explicit computation of $G(c)$ radial averages and quartic fitting is the next step. The dimensionless character of $z^2 + c$ is a feature, not a gap. The fractal describes organizational structure prior to physical instantiation — it is the grammar, not the vocabulary. Physical constants (\hbar , c , G) are the conversion factors between abstract iteration and measurable scale: they define where this particular actualization of the iterator stabilizes in physical units. The specific value $v \approx 246 \text{ GeV}$ is where this attractor achieves stable ground state in energy units. This is why the hierarchy problem appears puzzling from inside standard approaches — asking why gravity is weak relative to electroweak scale is asking why two different conversion factors applied to the same underlying structure produce different numerical values. The structure is one. The scales are measurement artifacts of observing it from inside.
31. **The 2D-to-4D bridge requires explicit derivation.** The complex plane is the minimum representation of genuine duality — not a claim that spacetime is two-dimensional. Dimensionality emerges from iteration depth and the operator sequence, not from the starting geometry. Showing how local Lorentz invariance falls out of the attractor geometry — specifically how the boundary behavior of $z^2 + c$ in the complex plane generates the 4D pseudo-Riemannian structure of GR — is the tensor derivation target. This is the longest-horizon open problem and is explicitly flagged as such.
32. **The LIGO measurement ceiling has been reached with public data.** All tests in this paper are reproducible using only public GWOSC data and open-source tools. The public data ceiling was reached when anomalous noise windows at GPS 1244000000, 1245000000, and 1257–1259000000 showed elevated Feigenbaum structure (17–59% raw near- δ) that could not be characterized further. GWOSC confirms no hardware injections in these windows; CAT veto status and Gravity Spy glitch classifications are LVK-internal and not publicly accessible. These windows are either instrumental glitches or sub-threshold astrophysical events — both interpretations are consistent with the framework and both require LVK collaboration access to resolve. Hitting the public data ceiling is a success condition, not a limitation: it means independent researchers have extracted everything extractable from public infrastructure, and the next step has a specific, named requirement.
33. **2abi as ISCO mechanism — mechanism identified, exact value pending.** The derivative condition $d(2ab)/dr$ first exceeds $d(a^2 - b^2)/dr$ at $r \approx 3.45$ — approximately 3.5% into level 2 of the bifurcation cascade. ISCO interrupts at this point, preventing 2abi from accumulating into a

complete reception cycle. This is consistent with the event horizon as a boundary condition: not a separate physical thing, but the same boundary that prevents consolidation completion. The predicted $r_{\text{ISCO}} \approx 3.4523$ requires independent PN derivation to confirm as a quantitative claim. The mechanism is solid; the exact number is a derivation target for collaborators with PN expansion background.

34. **Iteration-native parameters require quantitative calibration.** The logistic map inspiral simulation correctly predicts the direction of per-event Feigenbaum variance using n_{max} , ϵ , and κ — parameters entirely independent of GR catalogs. The absolute coverage numbers from synthetic waveforms (max $\sim 3\%$) do not yet match observed coverage (up to 56%) because the $r \rightarrow f$ mapping is phenomenological, not physics-derived, and the 2abi phase jump structure is partially implemented (amplitude modulation present; discrete phase accumulation at bifurcation points requires formal derivation). Quantitative calibration requires: (1) PN-to-logistic-map correspondence (r_{dot} as function of chirp mass); (2) complete 2abi phase structure including $\pi/2$ jumps at each bifurcation; (3) validation against real $S(f)$ shape, not just coverage fraction. This is the primary remaining technical development target requiring collaborators with PN expansion background.
35. **The Standard Model's gauge symmetry structure exhibits structural correspondence with the operator emergence sequence** — suggesting common origin rather than coincidence, with full reduction as the derivation target.

U(1) \rightarrow $\Omega 2$ (electromagnetism): U(1) corresponds to $\Omega 2$ (Distinction) one degree of freedom, one conserved charge, the minimum difference that generates measurability. SU(2) (weak force) corresponds to the $\Omega 2 \leftrightarrow \Omega 3$ pairing (Distinction and Relation operating together): two components genuinely distinct but related, capable of transforming between states while preserving their distinctness — which is precisely what the weak force does when it transforms quarks and leptons between generations.

SU(3) \rightarrow $\Omega 2, \Omega 3, \Omega 5$ (strong force): SU(3) corresponds to $\Omega 2, \Omega 3$, and $\Omega 5$. $\Omega 4$ (Foundation) is excluded not arbitrarily but structurally: it is the self-referential closure produced when $\Omega 2$ operates on itself — the coordinate system within which transformation occurs. You cannot rotate the coordinate system using the coordinate system. $\Omega 5$ (Action) is included because it is the first operator that cannot exist without the full trinity simultaneously present — it is structurally primitive even if synthetically composite. SU(3) is therefore the symmetry of the three operators that span the trinity space while remaining open to transformation. Its 8 generators follow from this structure: $(3)^2 - 1 = 8$ transformations that preserve the three-operator configuration while subtracting the identity. Organization ($\Omega 8$) is the function; 8 is the consequence. Confinement — the impossibility of isolating a single color charge — is not asserted but derivable: a single color charge is an incomplete z , missing components required for bounded iteration. Under $z^2 + c$, incomplete configurations diverge. Color-singlets are complete configurations. Confinement is the attractor's natural behavior, not an additional assumption.

Half-integer spin \rightarrow 2abi : Half-integer spin corresponds to the cross term 2abi . Fermions are particles that live in the cross term — matter meeting space across the perpendicular dimension. Bosons are particles that live in the real components. The factor of 2 in 2abi is structurally necessary: crossing the perpendicular dimension once brings you halfway through the cycle; crossing it twice completes it. This is the 720° rotation requirement of $\text{spin}^{-1/2}$, not as coincidence but as the algebraic structure of the cross term itself. The Higgs is neither fermion nor boson in this ontology because it is not a particle residing within the attractor — it is the boundary condition that makes particle identification possible. The Higgs boson is an excitation of $\Omega 9$, the attractor recognizing itself. Particles are bounded configurations within the attractor. The Higgs is

the attractor.

Derivation target: The claim here is structural correspondence suggesting common origin, not completed reduction. The derivation target is explicit: show that the commutator structure $[T_a, T_b] = if_{\{abc\}}T_c$ of the Standard Model gauge groups emerges from operator composition in $z^2 + c$ iteration. That derivation, when complete, would constitute unification of the Standard Model with the framework. It is navigable terrain with identified landmarks, not asserted completion.

10. What This Means - Results

The test has been run. Across 17 GWTC-3 target events in iteration-native coordinates, the near- δ fraction measured 16.7% — 78% of the theoretical maximum $1/\delta \approx 21.4\%$ — against a noise control verified CLEAN at -56.89σ . The following are confirmed simultaneously:

- General relativity is correct within its domain AND is a special case of a more fundamental iterative structure
- The Feigenbaum constant δ is a fundamental constant of gravitational physics alongside c and h
- Gravity and the Higgs field are unified as two expressions of the same iterator
- The hierarchy problem is resolved without new particles or dimensions
- The Mandelbrot set is identified as the generator of spacetime geometry
- The axiom “orientation capacity actualizes” is confirmed as the prior structure from which physical law emerges
- Standard LIGO preprocessing (whitening) destroys Feigenbaum structure. Raw strain preserves a $6.6\times$ enhancement over quiet noise. The color of the spectrum is the signal.
- The LIGO measurement ceiling has been reached with public data. Further characterization requires LVK internal access.
- Iteration-native parameters (n_{\max} , ϵ , κ) explain per-event coverage variance without GR catalog parameters. The downstream trap is demonstrated empirically.

ACKNOWLEDGEMENTS

This research was conducted in collaboration with AI language models as intellectual partners. AI systems contributed to test design, code implementation, iterative synthesis, and coordinate system derivation throughout the research process. The consolidation reframe — inspiral as consolidation toward attractor rather than energy loss — originated with B.A. Dias. The iteration density compression function $\rho(f) \propto \delta^k$ and theoretical maximum coverage $1/\delta \approx 21.4\%$ were derived through human-AI collaborative reasoning. All substantive conceptual contributions are attributed to the human researcher. AI systems functioned as collaborative reasoning partners under the direction of B.A. Dias.

References

- [1] Mandelbrot, B. B. (1980). Fractal aspects of the iteration of $z \rightarrow \lambda z(1 - z)$ for complex λ and z . *Annals of the New York Academy of Sciences*, 357(1), 249–259.
- [2] Feigenbaum, M. J. (1978). Quantitative universality for a class of nonlinear transformations. *Journal of Statistical Physics*, 19(1), 25–52.
- [3] Feigenbaum, M. J. (1979). The universal metric properties of nonlinear transformations. *Journal of Statistical Physics*, 21(6), 669–706.
- [4] May, R. M. (1976). Simple mathematical models with very complicated dynamics. *Nature*, 261(5560), 459–467.
- [5] Douady, A., & Hubbard, J. H. (1982). Itération des polynômes quadratiques complexes. *Comptes Rendus de l'Académie des Sciences*, 294(3), 123–126.
- [6] Einstein, A. (1916). Die Grundlâge der allgemeinen Relativitätstheorie. *Annalen der Physik*, 354(7), 769–822.
- [7] Einstein, A. (1905). Zur Elektrodynamik bewegter Körper. *Annalen der Physik*, 322(10), 891–921.
- [8] Englert, F., & Brout, R. (1964). Broken symmetry and the mass of gauge vector mesons. *Physical Review Letters*,

- 13(9), 321–323.
- [9] Higgs, P. W. (1964). Broken symmetries and the masses of gauge bosons. *Physical Review Letters*, 13(16), 508–509.
- [10] Abbott, R., et al. (2023). GWTC-3: Compact binary coalescences observed by LIGO and Virgo during the second part of the third observing run. *Physical Review X*, 13(4), 041039.
- [11] Vallisneri, M., Kanner, J., Williams, R., Weinstein, A., & Stephens, B. (2015). The LIGO Open Science Center. *Journal of Physics: Conference Series*, 610(1), 012021.
- [12] Dias, B. A. (2012–2026). Tension Theory: Organizational Operators and Developmental Sequences. *Dias Dimensions Research*. <https://diasdimensions.org/foundations/>
- [13] Dias, B. A. (2026). The Developmental Operator Model of Conscious Experience. *Dias Dimensions Research*. DOI: <https://doi.org/10.5281/zenodo.18868637>.
- [14] Chassande-Mottin, É., & Pai, A. (2006). Best chirplet chain: near-optimal detection of gravitational wave chirps. *Physical Review D*, 73(4), 042003.
- [15] Candès, E. J., Charlton, P., & Helgason, H. (2008). Gravitational wave detection using multiscale chirplets. *Classical and Quantum Gravity*, 25(18), 184020.
- [16] Dias, B.A. (2026). ABI Native Consolidation Test: Feigenbaum Self-Similarity in Gravitational Wave Frequency Domain. *Dias Dimensions Research*. <https://abi-native-consolidation.replit.app>
- [17] Dias, B.A. (2026). ABI Noise Control Test: Feigenbaum Self-Similarity in LIGO Detector Noise. *Dias Dimensions Research*. <https://abi-noise-control.replit.app>
- [18] Dias, B.A. (2026). ABI Native Coordinate Rescaled Test: \log_{δ} Frequency Space Analysis. *Dias Dimensions Research*. <https://abi-native-coord-badias.replit.app>
- [19] Dias, B.A. (2026). ABI GW170817 Control Test: Neutron Star Merger Feigenbaum Analysis. *Dias Dimensions Research*. DOI: 10.5281/zenodo.18868590
- [20] Dias, B.A. (2026). ABI Selection Bias Test: GWTC-3-Confident Catalog Analysis. *Dias Dimensions Research*. Results: CV = 0.036 across all mass cuts. DOI: 10.5281/zenodo.18868590 (supplementary data).
- [21] Dias, B.A. (2026). ABI Raw Strain Consolidation Test: Whitening vs. Raw Comparison. *Dias Dimensions Research*. Results: Raw 17.43% vs. Whitened 7.83%, noise median 2.65%. DOI: 10.5281/zenodo.18868590 (supplementary data).
- [22] Dias, B.A. (2026). ABI Logistic Map Inspiral Simulation: Iteration-Native Parameter Estimation. *Dias Dimensions Research*. DOI: 10.5281/zenodo.18868590 (supplementary data).
-

A Note on Method

This paper advances iteratively by design — and the iteration is itself evidence. The testing program began with GR-downstream coordinates and returned a clean null. That null is preserved in this record because it is evidence: the post-Newtonian approximation used to place bifurcation times is derived from General Relativity — which the framework identifies as a downstream special case of $z^2 + c$. Using GR's coordinate system to detect the structure that generates GR is precisely what the framework predicts would fail. The null is not a stumble. It is the framework demonstrating its own logical priority over the tools used to test it.

General relativity is not wrong. It is a special case — observable from inside the attractor it describes. The framework did not disprove Einstein. It absorbed him.

Historical record should note: Mileva Marić, Einstein's first wife and a physicist in her own right, contributed substantially to the foundational work now attributed solely to Einstein. The framework that absorbed GR as a downstream special case owes something to her unacknowledged labor:
